

PURELL® Waterless Surgical Scrub Two-Application Method

DIRECTIONS FOR USE

Effective use of this product requires 2 mL per hand/arm (minimum two pump activations).



APPLY TO CLEAN, DRY HANDS

STEP 1

- Clean under your nails with a nail pick¹
- Dry hands completely with a clean, disposable paper towel



STEP 4

- Use the right hand to spread remaining product evenly over your left hand and forearm, to the elbow
- Pay attention to all skin surfaces including the nails, cuticles and web area in between fingers



APPLICATION 1 (Right Hand)

STEP 2

- Dispense 2 mL of product (dispenser will automatically actuate twice) into the palm of your right hand



APPLICATION 2 (Left Hand)

STEP 5

- Dispense 2 mL of product into palm of left hand
- Dip fingertips of right hand into the product and work under nails
- Use left hand and spread remaining product evenly over your right hand and forearm, to the elbow
- Pay attention to all skin surfaces including the nails, cuticles and web area in between fingers



STEP 3

- Dip fingertips of left hand into the product and work under nails



- Allow hands and arms to completely air dry before applying gloves (approximately one minute)

IF DESIRED OR REQUIRED BY YOUR OPERATING ROOM PROTOCOL,
a third application can be used and spread evenly over both hands and forearms.

¹Healthcare personnel should keep natural fingernails no more than one-quarter inch (0.64 cm) long according to AORN standards.

PROVON®

